




GANSER
LIFTSYSTEME



The king of lifts

Platform stairlifts

Innovations and new developments ensure the success of Ganser Liftsysteme as a stairlift manufacturer for more than 40 years. A barrier-free and carefree life for people with handicaps is our top priority.

Through the continuous development and reliable production of lift systems of all kinds, we have earned the status of pioneers in this industry over the past half century.

100% individually made in Austria



Mobility restrictions represent a great limitation of personal freedom and thus of quality of life for those affected. Ganser Liftsysteme has therefore set itself the goal to take the hurdles of everyday life away from you with an individually planned and visually appealing stair lift and to create a large measure of independence. Our lifts stand for the highest level of quality and convince in terms of design and functionality. We use high-quality materials as standard and thus guarantee many years of use.

Platform stairlift GTLE: narrow stairs & complex spiral staircases, inclination +20° to +50°

Platform stairlift GTL20: straight stairs & special designs, inclination 0° bis +50°

Platform stairlift GTL30: stairs with curves, change of inclination & horizontal travel, inclination -60° bis +60°

Technical data:

300 kg payload; standard platform: 800 x 1000 mm,
Special sizes on request;
Driving speed: max. 0,15 m/s.;
Minimum depth in the parking area: from 240 - 350mm;
All RAL colors possible;
DB colors und NCS colors according to availability.

Options:

Folding seat;
Stainless steel surface K400 or K800.





GHB20 OV

Straight to the top

Vertical platform lifts

The robust platform lifts combine maximum independence with an attractive appearance. They make it possible to reach a maximum height of twelve meters with up to six holding stations.

Ganser Liftsysteme guarantees a reliable, trouble-free and safe ascent with a choice of rack and pinion or hydraulic drive.



GHB20 KV

Customized

Thanks to a specially developed modular system, our easy-to-operate platform elevators represent a cost-effective alternative to conventional elevators. Depending on needs and requirements, they can be installed in an existing shaft or built as a self-supporting model for lifting heights of up to 12 meters.

The entry-level model for lifting heights of up to 3 meters offers unlimited all-round visibility thanks to the railing height of only 1.1 meters. Optionally, the lifting platform can be attached directly to the wall or to a console.



GHB20 SV




GHB20 OV



GHB20 OV



GHB20 KV



GHB20 SV



GHB20 SV



GHB20 SV


Regardless of whether it is a wall or a glass shaft, the installation of the prefabricated components takes only a short time.



GHB20 SV



GHB20 SV



GHB20 SV

Fits everywhere

With only minor structural measures, the GHB20 lifting platform is perfect for mastering ascents and descents easily, uncomplicatedly and without time-consuming conversion. The simple modular system offers considerable advantages in terms of assembly effort and installation time. The narrow design of the drive side allows all-round visibility and the greatest possible panoramic view.

Vertical platform lift GHB20: the variable lift for indoor & outdoor with view.


Technical data:

Load capacity: 385 kg for standard sizes;
Standard platform: 1100 x 1400 mm,
Special sizes on request;
Head up to 12 meters;
Maximum 6 stops;
Driving speed: max. 0,15 m/s.;
All RAL colors possible;
DB colors & NCS colors according to availability.

Options:

Folding seat;
Stainless steel surface K400;
Special design according to customer requirements

Special designs



The strong one

The **GHB50** is driven by a hydraulic scissor system. This system can be easily integrated into a wall or glass shaft. Due to the high load-bearing capacity, there is the option of installing a traveling elevator door. The flexibility is limitless, as we can meet almost any architectural requirement.

Technical data:

Loading capacity: up to 2000 kg; Head up to 3 meters;
Options: Folding seat; stainless steel surface K400;
Special design according to customer requirements.



GHB50



GHB50



GHB50



GHB50



GHB50



GHB50



GHB50



GHB50



Baldachin lift sunken



Baldachin lift half open



Baldachin lift open



Homelifts
Stairlifts
Platformlifts

Contact

GANSER LIFTSYSTEME

Markt 26, 4171 St. Peter am Wimberg

Austria

+43 (0) 7282 / 80 71-0

www.ganserlifte.at

office@ganserlifte.at