



RL60 The unique stairlift



More mobility – for a better quality of life




### RL60 The solution to overcome your staircase with the wheelchair

The wheelchair ceiling lift is a unique solution for the wheelchair user to be completely independent and mobile. The sturdy design is in accordance with the highest safety standard to ensure comfortable transportation between different floors. Boarding, departure and parking areas can be adapted to suit your needs and local conditions. Attaching the wheelchair to the ceiling lift and the operation are simple thanks to ergonomic controls and customization, with a few simple steps. This also with limited motor skills by the lift user or by an attendant.

The hooking on the rear oft he weelchair is done by driving in with the wheelchair, in front by the adaptation of the holder, without effort





- 1. Attachment to concrete ceiling or wooden ceiling possible
- 2. Parking lot of the lift
- 3. Driving into the receiving bracket

#### **Easy construction**

The RL6O can be easily installed everywhere – even in narrow staircases with steep incline. By simple adjustments even the rail guide through doors is possible. The drive mechanism employs the latest technology for your guarantee of long-term safety.

#### **Platform optional**

The platform is attached directly to the slings. With the wheelchair you drive on the platform and secure yourself with the belt.







Manual control unit on spiral cable for individual operation

Front attachment to the wheelchair

Wireless station for calling and sending the lift





Rail led elegantly under the stairs








Your professional on all stairs





# TECHNICAL DETAILS



| Manufacturer:          | Högg Liftsysteme AG, Switzerland   |
|------------------------|--|
| Nominal load:          | 160kg, optional 250kg  |
| Controls:              | key switch<br>hold-on scanner (pressure scanner)<br>emergency stop   |
| Drive system:          | 37V CA / pinion on chain   |
| Rail:                  | aluminium rail   |
| Electrical connection: | 230V CA<br>Fuse 13A  |
| Speed:                 | max. 0,15m/sec   |
| Technical conformity:  | CE/TÜV approved  |
| Area of application:   | inclines from 0 degrees (horizontal)<br>to 60 degrees  |
| Standard design:       | including wheelchair attachment<br>bracket   |
| Optional:              | <ul> <li>cordless call and transmission</li> <li>points</li> <li>special mounting</li> <li>platform</li> <li>special applications</li> </ul> |







Subject to changes without notice

### lifts - wheelchair stairlift - stairlift with seat - lifting platform - elevator

# hoegglift ch

Wilerstrasse 137 CH-9620 Lichtensteig Tel. 071 987 66 80 info@hoegglift.ch





Markt 26, A-4171 St. Peter am Wimberg Tel. +43 7282 8071-0 office@ganserlifte.at | www.ganserlifte.at